

State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Tommy G. Thompson, Governor George E. Meyer, Secretary Gloria L. McCutcheon, Regional Director Southeast Region Annex 4041 N. Richards Street, Box 12436 Milwaukee, WI 53212-0436 TELEPHONE 414-229-0800 FAX 414-229-0810

June 3, 1997

 Mr. Charles R. Patten Administrator
 Village of Fontana
 P.O. Box 313
 Fontana, Wisconsin 53125

SUBJECT: Request for closure, Village of Fontana Marina, 454 Lake Street, Fontana,

Wisconsin. BRR-LUST FID#265122550.

Dear Mr. Patten:

At the request of your environmental consultant, Strand Associates, Inc.(Strand), we have reviewed the referenced case file for closure. Strand has requested closure of this site under the new closure flexibility regulations, because groundwater monitoring well, MW-3 contains benzene concentrations above the § NR 140, Wisconsin Administrative Code (WAC) enforcement standard (ES). The concentration of benzene in monitoring well, MW-3 was 7.4 parts per billion (ppb), during the last sampling round in February of 1997. We concur with Strand's recommendation of case closure and require no further action at this site based on the following:

- 1. The source of contamination has been removed.
- 2. The concentration of benzene in MW-3 appears to be decreasing and/or stable, based on the groundwater monitoring data provided.

To complete the closure of this site, you must place a groundwater use restriction on the property deed at the county register of deeds office which specifies the legal description of the property, the location, type and concentration of the contaminants and includes the following language:

"Natural attenuation has been approved by the Department of Natural Resources to remediate groundwater exceeding ch. NR 140 groundwater standards within the boundaries of this property. construction of wells where the water quality exceeds the drinking water standards in ch. NR 809 is restricted by chs. NR 811 and 812. Special well construction standards or water treatment requirements, or both, or well construction prohibitions may apply. Anyone who proposes to construct or reconstruct a well on this property is required to contact the Department of Natural Resources' Bureau of Drinking Water and Groundwater to determine what specific requirements are applicable prior to constructing or reconstructing a well on this property."

Within sixty days, all of the groundwater monitoring wells at the site must be abandoned in



accordance with ch. NR 141 and the completed abandonment forms must be submitted to the department. Once the department receives the abandonment forms and documentation that the groundwater use restriction has been placed on the property deed, this case will be tracked as closed on the department's tracking system.

If you have any questions regarding this letter, you may contact me at the above address or at (414) 229-0839.

Sincerely,

Gina Keenan (Hydrogeologist

Strand Associates, Inc.

SED case file



910 West Wingra Drive Madison, Wisconsin 53715

Fax:

Phone: (608) 251-4843 (608) 251-8655

December 23, 1997

Department of Natural Resources Southeast Region Annex 4041 N. Richards Street P.O. Box 12436 Milwaukee, WI 53212-0436

Attention: Pat Chung

Re:

Village of Fontana Marina - Case Closure

BRR LUST FIØ# 265122550

LUDT

Dear Ms. Chung:

I am enclosing the confirmation of the recording of the Declaration of Restrictions for the Fontana-Marina site at the request of Gina Keenan.

PARKETS CLOSED 12-23-47

Please call with any questions.

Sincerely,

STRAND ASSOCIATES, INC.

Bradley J. Lake. P.E.

Chuck Patten, Village of Fontana-on-Geneva Lake, w/attachments

Dale Thorpe, Godfrey, Neshek, Worth, Leibsle, and Conover, S.C., w/o attachments

Gina Keenan, WDNR - Southeast District, w/attachments

BL:TK\S:\051--100\083\926\WRD\FONT-CHUBIL

GODFREY, NESHEK, WORTH, LEIBSLE & CONOVER, S.C.

ATTORNEYS AT LAW

HARRY F. WORTH, JR.
ROBERT C. LEIBSLE
ROBERT V. CONOVER
KIM A. HOWARTH
LISLE W. BLACKBOURN
LARRY D. STEEN
DALE L. THORPE
THEODORE N. JOHNSON
SCOTT T. CHRISTIAN

11 NORTH WISCONSIN STREET POST OFFICE BOX 260

ELKHORN, WISCONSIN 53121-0260

TELEPHONE: 414-723-3220

FACSIMILE: 414-723-5091

(ALFRED L. GODFREY 1888-1970) (THOS. G. GODFREY 1921-1996)

MILTON E. NESHEK - OF COUNSEL

SHANNON A. ALLEN JOHN K. BARTOSZ THOMAS W. O'NEIL MICHAEL R. VESCIO

December 18, 1997

Mr. Bradley J. Lake, P.E. Strand Associates, Inc. 910 West Wingra Drive Madison, WI 53715

Re: Village of Fontana Marina

Dear Mr. Lake:

Please find enclosed the originally recorded Declaration of Restrictions with regard to the Fontana Marina site. It is my understanding that you will be sharing this information with the Department of Natural Resources if necessary. Please let me know if you need anything more, Brad.

Very truly yours,

GODFREY, NESHEK, WORTH LEIBSLE & CONOVER, S.C.

By:

Dale L. Thorpe
E-MAIL: dthorpe@godfreylaw.com

DLT:kml Enclosures

cc:

Village Board

Chuck Patten Sallye Smith

T:\F\FONTANA\VILLAGE\MN39735\CORRES\121897DT.LTR

367957

Declaration of Covenants, Conditions And Restrictions

Document Number

Cab. 1-20.24"

RECORDED IN VOL. 650

PACE 7419

'97 NOU 12 AM 8 46

LOIS M. KETTERHAGEN REGISTER OF DEEDS WALWORTH COUNTY, WI

Recording Area

Name and Return Address GODFREY, NESHEK, WORTH, LEIBSLE & CONOVER, S.C. 11 North Wisconsin Street Post Office Box 260

Elkhorn, Wisconsin 53121

18.00

Parcel Identification Number (PIN)

DECLARATION OF COVENANTS, CONDITIONS AND RESTRICTIONS

This Declaration of Covenants, Conditions and Restrictions ("Declaration") is made this 18th day of August, 1997 by the Village of Fontana-on-Geneva Lake ("Village"), a Wisconsin municipal corporation located in Walworth County, Wisconsin.

RECITALS

WHEREAS, the Village owns those lands located in the Village of Fontana-on-Geneva Lake, Walworth County, Wisconsin, described as follows ("Subject Property" or "Property"):

Lots 6, 7, 8 and 9 of Lake View Subdivision, Village of Fontana-on-Geneva Lake, Walworth County, Wisconsin.

WHEREAS, it is the desire and intent of the Village to subject the Subject Property to certain covenants, conditions and restrictions as part of an application for closure of the State of Wisconsin, Department of Natural Resources case file for the Village of Fontana Marina site pursuant to § NR 140, Wisconsin Administrative Code Enforcement Standard and specifically case file BRR-LUST FID 265122550.

NOW, THEREFORE, Fontana does hereby declare that the Subject Property and all portions thereof shall be used, held, transferred, sold and conveyed subject to the covenants, conditions and restrictions here and after set forth, which shall inure to the benefit of and shall pass with the land described herein as covenants running with the land and shall apply to and bind all successors in interest, users and owners.

SECTION I.

Natural attenuation has been approved by the Department of Natural Resources to remediate ground water exceeding ch. NR 140 groundwater standards within the boundaries of this property. Construction of wells where the water quality exceeds the drinking water standards in ch. NR 809 is restricted by chs. NR 811 and 812. Special well construction standards or water treatment requirements, or both, or well construction prohibitions may apply. Anyone who proposes to construct or reconstruct a well on this property is required to contact the Department of Natural Resources' Bureau of Drinking Water and Groundwater to determine what specific requirements are applicable prior to constructing or reconstructing a well on this property.

SECTION II.

Per requirement of the State of Wisconsin, Department of Natural Resources, Exhibit "A" (figure 3) and Exhibit "B" (table 3) are attached hereto and incorporated herein by reference as if set forth at length herein.

IN WITNESS WHEREOF, this Declaration is executed by the undersigned as of the date first written above.

Subscribed and Sworn to Before Me this 18 day of August, 1997

Notary Public, Walworth/County, WI

My Commission Expres: 13 Jennier

VILLAGE OF FONTANA-ON-

GENEVA LAKE

Attest Phyllis E. Smith

This instrument drafted by:
Attorney Dale L. Thorpe
Godfrey, Neshek, Worth, Leibsle
& Conover, S.C.
11 North Wisconsin Street
Elkhorn, WI 53121




TABLE 3

GROUNDWATER ANALYTICAL RESULTS

MARINA UST SITE REMEDIATION

VILLAGE OF FONTANA

Compound	MW-1A	MW-1A Duplicate	MW-2	MW-3	MW-4	ES	PAL
PVOCs, μg/L							
Benzene	0.60	0.93	ND	7.4	ND	5	0.5
Ethylbenzene	ND	ND	ND	ND	ND	700	140
Toluene	ND	ND	ND	ND	ND	343	68.6
1,2,4-Trimethylbenzene	ND	ND	ND	ND	ND		
1,3,5-Trimethylbenzene	ND	ND	ND	ND	ND	· .	
Total Xylenes	ND	ND	ND	ND	ND	620	124
tert-Butylmethyl ether	0.77	0.82	ND	1.1	1.2	***	
Total Detected PVOCs	1.37	1.75	ND	8.5	1.2		

Notes:

Samples collected February 13, 1997.

Bailer blank and trip blank had ND of PVOCs.

ES Wis. Admin. Code Chapter NR 140 Enforcement Standard

PAL Wis. Admin. Code Chapter NR 140 Preventative Action Limit

-- No ES or PAL in place at this time

< Less than detection limit shown

NA Not analyzed

ND No detection (see lab report for LOD and LOQ)

S:\051--100\083\926\WRD\FONTANA.TBL:mmh\031397